

Energetic Refurbishment of Brick Buildings

Dr.-Ing. Rudolf Plagge

Head of the Building Research- and Development Laboratory
Institute of Building Climatology, University of Technology Dresden




The Institute of Building Climatology at TU Dresden. The building features a large glass facade and a traditional brick tower. The TU Dresden logo is visible on the left.

1. Building physical research laboratory	2. Modeling and simulation	3. Application and test buildings
--	----------------------------	-----------------------------------



Multi chamber climate test facility



DELPHIN / COND / CHAMPS / ...




Herrenschloss Nuremberg


- **Rehabilitation Engineering projects:** Elbe- Philharmony in Hamburg; Historic Storage magazines in Potsdam; Red Barracks in Potsdam; Red Town Hall in Berlin; Rijksmuseum in Amsterdam, NL; Palace Gueterfelde, Tivoli in Berlin Kreuzberg; several town quarters „Am Urban“ in Berlin, „Zöllnerviertel“ in Weimar, ...
- **International cultural heritage projects:** “Humayun Tomb” in Delhi, India; Museum village of Sapor in Japan; Ayasofia in Istanbul, Turkey; Takamatzusuka Tomb in Japan; ...
- **Modern construction projects:** Saxonian State and University Library, National competition award „Plus energy building & e-Mobility“; ...



CO₂OL Bricks 'Conference



Rudolf Plagge ©

2012 in Tallinn
Folie 2 von 51









Design and development of capillary active interior insulation

During the last 20 years ...

- 1990 → Idea and research approach
- 1995 → Application and test houses
- 2000 → Research projects material optimization
- since 2002 → Application at cultural heritage buildings



Rijksmuseum Amsterdam

insulation plaster, foam core panels
board, IQ-Therm system, on-spray
cellulose plaster, ...

CO₂OL Bricks 'Conference

Rudolf Plagge ©

2012 in Tallinn

Folie 11 von 51

Test house management: Wilhelminian style building in Dresden Calcium silicate climate board (Calsitherm)



interior insulation







CO₂OL Bricks 'Conference


Rudolf Plagge ©



2012 in Tallinn



Folie 12 von 51




















**TECHNISCHE
UNIVERSITÄT
DRESDEN**
Problem case mortar joints





CO₂OL Bricks 'Conference Rudolf Plagge © 2012 in Tallinn
 Folie 27 von 51



**TECHNISCHE
UNIVERSITÄT
DRESDEN**
Driving rain protection: Adaptive hydrophobic impregnation








- confident function and durable driving rain protection,
- homogenous infiltration by application > 7mm, here up to 15mm depth,
- applicable on slight moist surfaces → emulsion cream
- keeping drying potential, → no reduction of water vapor transport
- no visual effects after application



CO₂OL Bricks 'Conference Rudolf Plagge © 2012 in Tallinn
 Folie 28 von 51




























Advantage of capillary active interior insulation

(multi functional properties vary between different building materials)

- Moisture regulation of construction
- Keeping healthy room climate
- Diffusion open construction
- Keeping drying potential
- Reduction of freezing damage probability

The image shows the logo of the Technische Universität Dresden (TU Dresden) in the top left corner, which consists of a stylized 'U' and 'T' inside a square. To the right of the logo is the word 'Summary' in a bold, sans-serif font. Below the logo is a horizontal grayscale photograph of a city skyline, featuring various buildings and trees.

• **Evaluation of thermal bridges:** important for damage free building construction

• **Complex construction details:** actual details are very complex, requirement of numerical computer simulation tools

• **Usage of real climate conditions:** the evaluation under national standard code conditions may cause miss interpretation

• **Interior insulation:** thermal calculations only do not deliver proper results

• **Hygrothermal simulation:** the application of hygro thermal simulation is able to evaluate thermal and hygric behavior under real climate conditions and damages can be prevented.

CO₂OL Bricks 'Conference

Rudolf Plagge ©

2012 in Tallinn
Folie 48 von 51

TECHNISCHE UNIVERSITÄT DRESDEN

Conclusions

Energetic upgrade of historic building construction requires detailed knowledge in various fields

- building materials
- construction details
- real climate conditions
- hygrothermal simulation tools

→ A special education is required for an adequate refurbishment

→ New fields of education for architects, engineers, handcraft:

- _ university level (TU-Dresden)
- _ graduation level (WTA)

CO₂OL Bricks 'Conference Rudolf Plagge © 2012 in Tallinn Folie 49 von 51

TECHNISCHE UNIVERSITÄT DRESDEN

Cultural heritage interior inside insulation projects

Red Barracks Potsdam

Elbe philharmony Hamburg

Planning of ~ 60 interior insulation projects during last 20 years and scientific contribution:

- "Am Urban" historic town quarter Berlin
- "Neue Forstakademie" Uni. of Appl. Sci. Eberswalde
- Red city hall Berlin Pankow
- "Herrenschießberghaus" in Nuremberg
- Karuna Montessorischule Berlin

CO₂OL Bricks 'Conference Rudolf Plagge © 2012 in Tallinn Folie 50 von 51



Energetic Refurbishment of Brick Buildings

Dr.-Ing. Rudolf Plagge

Head of the Building Research- and Development Laboratory
Institute of Building Climatology, University of Technology Dresden